

-
- ⁷⁸ Regier DA, Goldberg ID, Taube CA. (1978) The de facto US mental health services system: a public health perspective. *Arch Gen Psychiat*; 35(6): 685-693.
- ⁷⁹ ACGME Program Requirements for Graduate Medical Education in Family Medicine. (2018). Retrieved from <https://www.acgme.org/Portals/0/PFAssets/ProgramRequirements/120FamilyMedicine2018.pdf?ver=2018-06-15-112624-307>
- ⁸⁰ Brieler, JA, Scherrer JF, Salas J. (2014) Differences in prescribing patterns for anxiety and depression between General Internal Medicine and Family Medicine. *J Affect Disord* Oct; 172C: 153-158.
- ⁸¹ Stein M, Sherbourne C, Craske M, et al. (2004) Quality of care for primary care patients with anxiety disorders. *Am J Psychiatry*; 161 (2230-2237).
- ⁸² Bradford DM, Kim MM, Braxton LE, et al. Access to medical care among persons with psychotic and major affective disorders. *Psychiatr Serv* 2008; 59(8): 847-852.
- ⁸³ Jacobs C, Brieler JA, Salas J, Betancourt RM, Cronholm PF. (2018) Integrated Behavioral Health Care in Family Medicine Residencies: A CERA Survey. *Fam Med*; 50(5):380-384.
- ⁸⁴ Solberg, LI, Crain, AL, Maciosek MV, et al. (2015) A Stepped Wedge Evaluation of an Initiative to Spread the Collaborative Care Model for Depression in Primary Care. *Ann Fam Med*; 13(5).
- ⁸⁵ Fisher L, Dickinson WP. (2014) Psychology and primary care: New collaborations for providing effective care for adults with chronic health conditions. *American Psychologist*; 69(4):355-63.
- ⁸⁶ Woltman E, Grogan-Kaylor A, Perron B, et al. (2012) Comparative effectiveness of collaborative chronic care models for mental health conditions across primary, specialty, and behavioral health care settings: systematic review and meta-analysis. *Am J Psychiatry*; 169(8): 790-804.
- ⁸⁷ Peek, C. J. (2013). Integrated behavioral health and primary care: A common language. In *Integrated Behavioral Health in Primary Care* (pp. 9-31). Springer New York.
- ⁸⁸ Bogan, J. (2019). Proven treatment is out there for heroin addicts. But good luck getting it in Missouri. *St. Louis Post-Dispatch*. Retrieved from https://www.stltoday.com/news/local/crime-and-courts/proven-treatment-is-out-there-for-heroin-addicts-but-good/article_ec5972de-06d2-5521-a480-968309344cef.html
- ⁸⁹ Dick, A., Pacula, R., Gordon, A., Sorbero, M., Burns, R., & Farmer, C. et al. Increasing Potential Access to Opioid Agonist Treatment in U.S. Treatment Shortage Areas. *Health Aff (Millwood)*. 2015 Jun; 34(6): 1028–1034.
- ⁹⁰ Pearson, C., & Brantley, K. (2019). Why we need bolder action to combat the opioid epidemic. Retrieved from <https://www.mckinsey.com/industries/healthcare-systems-and-services/our-insights/why-we-need-bolder-action-to-combat-the-opioid-epidemic>.
- ⁹¹ TIP 63: Medications for Opioid Use Disorder – Full Document (Including Executive Summary and Parts 1-5) | SAMHSA Publications. (2018). Retrieved from

